

Introducing a new line of Dura Stone®

Combining the look of stone with the strength and reliability of man-made materials, **Dura Stone®** is the solution for sophisticated people wanting diversity in colors.

Applications

Residential and commercial applications are diverse and only limited by the imagination. Counter tops, bars, vanities, wall panels, tub and shower surrounds, restroom partitions, and tables— as well as more rugged applications such as laboratory and work surfaces are some of the common uses for **Dura Stone®** solid surface material.

Dura Stone® Durability

Testing on **Dura Stone®** from an independent laboratory* results as follows:

Barcol hardness 56 ASTM D2583

Impact resistance 0.31 ft/lb per inch ASTM D256

Tensile strength 4400 psi ASTM D638

Elongation .51% ASTM D638

Color stability No change after 200 hours

NEMA LD-3 (3,1) No change NEMA LD-3 (3.6)

High temperatureNo changeNEMA LD-3 (3.6)Boiling waterPassNEMA LD-3 (3.5)Water absorption (24 hr)0.05% by weightASTM D370

Tabor abrasion 0.006 inch at 10,000 cycles


ASTM D4060
Thermal expansion 0.000028 in/in/oF ASTM D370
Stain resistance Pass ANZI Z124.6

Specific gravity 1.75 g/cc



Dura Stone® Color Collection

NEW Northern White DGLC206B




NEW Angelica DGDR212C




NEW Pristine DGLC208B



Dove Gray DG040A



NEW Ivory Quartz DGLC207B




NEW Oyster DGDR213C



Colors are representative. For an accurate example of our colors, please contact us for a sample. **ACS International, Inc.**

^{*}Tests performed by Universal Laboratories.











Arctic Melange DGLC700B



Matterhorn DGLC464B



NEW Rocky Mountain DGLC609B




NEW Alpine DGLC202B



Autumn DGLC925B



NEW Doe Skin DGDR200C



Apple Wood DGLC875B



Mocha DG810A

